International Journal of Fracture

CONTENTS OF VOLUME 100 (1999)

Vol. 100, No. 1, 1999

Analytic and numerical studies on mode I and mode II fracture in elastic-plastic materials with strain gradient effects	Y. HUANG, J.Y. CHEN, T.F. GUO, L. ZHANG and K.C. HWANG	1–27
On the role of stress fluctuations in brittle fracture	A.V. DYSKIN	29–53
Mechanisms of fatigue-crack propagation in ductile and brittle solids	R.O. RITCHIE	55–83
Asymptotic analysis in fracture: An update	J.R. WILLIS	85–103
A method based on singularity theory to predict edge delamination of laminates	D. LEGUILLON	105–120

Vol. 100, No. 2, 1999

Modeling of development of localized plastic deformation and prefracture stage in mesovolumes of heterogeneous media	P.V. MAKAROV, I.Y. SMOLIN, I.P. PROKOPINSKY and YU.P. STAFANOV	121–131
Influence of T-stress, cohesive strength and yield strength on the competition between decohesion and plastic flow in a crack edge vicinity	K.B. BROBERG	133–142
Simulation in fracture of welded structures with developing damages	V.V. MOSKVICHEV, A.M. LEPIKHIN and S.V. DORONIN	143–153
Fracture behaviour of specimens with surface notch tip in the heat affected zone (HAZ) of strength mismatched welded joints	N. GUBELJAK	155–167
Fracture behaviour of specimens with a notch tip partly in the base metal of strength mis-match welded joints	N. GUBELJAK	169–181

Mathematical simulation of fracture in impact problems with formation of fragments	A.I. GULIDOV, V.M. FOMIN and I.I. SHABALIN	183–196
Model of detonation of lead azide ($pb(N_3)_2$) with regard to fracture	E.A. DYUKAREV and A.G. KNYAZEVA	197–205

Vol. 100, No. 3, December 1999

Variation of mixed modes stress intensity factors of an inclined semi-elliptical surface crack	NAO-AKI NODA, KIMIHIRO KOBAYASHI and MAKOTO YAGISHITA	207–225
A reappraisal of transition elements in linear elastic fracture mechanics	ARASH YAVARI, E. THOMAS MOYER JR. and SHAHRAM SARKANI	227–248
FEM-BEM superposition method for fracture analysis of quasi-brittle structures	PETR KABELE, EIKI YAMAGUCHI and HIDEYUKI HORII	249–274
Compressive response and failure of fiber reinforced unidirection composites	S.H. LEE and ANTHONY M. WAAS	275–306

Vol. 100, No. 4, 1999

Distribution of dislocations at a mode I crack tip and their shielding effect	IANQIAO CHEN and SEIICHIRO KITAOKA	307–320
Fast and accurate numerical solution to an elastostatic problem involving ten thousand randomly oriented cracks	JOHAN HELSING	321–327
A numerical study of the elastic stress field arising from sharp and blunt *V*-notches in a SENT-specimen	MORTEN STRANDBERG	329–342
Multiple crack problem in nonhomogeneous composite materials subjected to dynamic anti-plane shearing	B.L. WANG, J.C. HAN and S.Y. DU	343–353
Effects of temperature gradients on crack characterisation under thermal-mechanical loading conditions	HUANG YUAN and DIETMAR KALKHOF	355–377
Application of viscoelastic fracture criteria to progressive crack propagation in polymer matrix composites	D. GAMBY and J. CHAOUFI	379–399

Energy analysis on fracture of ferroelectric ceramics	D.N. FANG, B. LIU and K.C. HWANG	401–408
Volume contents		409-411
Author index		413

International Journal of Fracture

CONTENTS OF VOLUME 100 (1999)

Vol. 100, No. 3, 1999

Dynamic fracture of curved interfaces	MAHESH KAVATURU and ARUN SHUKLA	L3–L8
Two-level finite elements for a finite body with penny-shaped crack	A.Y.T. LEUNG and K.L. TSANG	L9–L14
Exact solutions of a partially debonded circular inhomogeneity in piezoelectric materials	GAO CUN-FA and FAN WEI-XUN	L15–L20

Vol. 100, No. 4

Spacing of fractures in a multilayer at fracture saturation	TAIXU BAI and DAVID D. POLLARD	L23–L28
Optimization of light weight armor using experimental data	G. BEN-DOR, A. DUBINSKY and T. ELPERIN	L29–L33
Scattering of SH waves by an arc-shaped crack between a cylindrical piezoelectric inclusion and matrix-I: near fields	WANG XUYUE and YU SHOUWEN	L35–L50
Volume contents/Author index		L51–L53